

## **Service Line Material Submission Information**

If you have any questions, call our office at 701.869.2690 or visit us at 217 Main Ave, Gilby ND between the hours of 8 AM to 4 PM Monday – Thursday.

The EPA is REQUIRING all water systems to keep a record of the material used for all service lines. To do this Agassiz Water is requesting that you fill this survey out which includes answering the following questions about your service line and providing us with a picture of your meter along with the pipes coming into and going out of the meter.

### **Options are listed to make a submission of information:**

1. Fill out paper form and mail it to the office or drop it in our lock box on our door.
2. Contact the office during business hours (8 AM – 4 PM) by phone with your information.
3. Walk into office during business hours (8 AM – 4 PM, Monday – Thursday) with your information and picture and I will help you.
4. Email this information to [office@awud.net](mailto:office@awud.net).

**\*\*\*Please complete this as soon as possible. If you do not complete the information, you will continue to receive notice until you have completed the survey.**

## **Service Line Material Submission Form**

Please complete the following form to help us update your service line information. All fields are important for accurate recordkeeping.

**1. Name on the Account:**

**2. Service Address** *(Where the meter is physically located):*

**3. Account Number** *(Located at the top of your bill):*

**4. Contact Phone Number** *(In case we have any questions):*

**5. Service Line Material** *(Select one):*

- ☐ Plastic (PVC or Poly) typically white, black, or blue
- ☐ Lead — soft metal material, **not magnetic**
- ☐ Copper — orange-colored metal material
- ☐ Galvanized — hard metal material, **magnetic**
- ☐ Unknown

**6. Year of Installation or Replacement (whichever is more recent) :**  
(If unknown, please leave blank.)